

Techniques for Assessing Polygonal Approximations of Curves

Paul L. Rosin

Department of Computer Science and Information Systems,
Brunel University,
Middlesex, UB8 3PH
email: Paul.Rosin@brunel.ac.uk

Abstract

Given the enormous number of available methods for finding polygonal approximations to curves techniques are required to assess different algorithms. Some of the standard approaches are shown to be unsuitable if the approximations contain varying numbers of lines. Instead, we suggest assessing an algorithm's results relative to an optimal polygon, and describe a measure which combines the relative fidelity and efficiency of a curve segmentation. We use this measure to compare the application of fifteen algorithms to a curve first used by Teh and Chin [28]; their ISEs are assessed relative to the optimal ISE.

1 Introduction

Over the last 30 years there has been a substantial and continual interest in the piecewise linear approximation of (mostly plane) curves. In this paper we shall restrict ourselves to approaches which require the polygon vertices to lie on the curve. Thus, given a curve $\mathcal{C} = \{x_i, y_i\}_{i=1}^N$ the goal is to find the subset of dominant points $\mathcal{D} = \{x_i, y_i\}_{i=1}^M$ where $M \leq N$ and $\mathcal{D} \subset \mathcal{C}$. Several algorithms have been described for determining the *optimal* polygonal approximation according to various criteria [5, 16, 27]. Since these algorithms are computationally expensive (usually between $O(N^2)$ and $O(N^3)$) they tend not to be used in practise. Instead many efficient sub-optimal algorithms have been developed, often running in $O(N)$.

Surprisingly, given the plethora of algorithms now available, many authors provide little analysis of their performance, but rely or resort instead to a qualitative demonstration, merely plotting their resulting segmentation. Naturally, this is unsatisfactory since it is difficult to assess the relative merits of the various algorithms, and a more quantitative approach is necessary [11]. Fischler and Wolf [6] rated curve segmentation results using human observers. However, a more convenient and repeatable approach would be preferable. Several recent papers on dominant point detection have quantified their performance based on: the percentage of missed points versus the percentage of false points [12]; the numbers of missed and false points versus different corner angles and different settings of the algorithm's parameters [31]; and location error versus noise standard deviation, corner angle, and curve length [31]. The disadvantage of these approaches is

that in order to simplify the problem of requiring ground truth information (i.e. the location of the corners) the algorithms were tested on simple synthetic curves made up from two noise free arcs [12] or two noisy straight lines [31]. Such curves are not necessarily indicative of real curves extracted from images. Kadonaga and Abe [10] used both approaches to compare several algorithms: 1/ invariance under rotation, scaling, and reflection was tested by determining the percentage of similar dominant points detected on the transformed and untransformed curves, and 2/ curve segmentation results were assessed by subjective human evaluation. On individual test cases they found a poor correlation between the two assessment methods, although this was improved by averaging assessments over 10 curves. Further problems encountered with human subjects were the variation in evaluation between subjects, different degrees of confidence in grading different points, and the presence of several possible but mutually exclusive dominant points. A problem when determining numbers of detected or missed dominant points is the need to allow for some shifting of the detected position of the points (e.g. ± 1 pixel). However, the degree of allowable shift should depend on the shape of the curve since a shift is permissible on a low curvature section of curve but not at high curvature sections.

Further considerations were provided by Aoyama and Kawagoe [3] who catalogued the various distortions introduced by the approximation process. In addition to metric displacement and deflection (termed physical distortions) there were also logical distortions. These could arise from the shifting of breakpoints, affecting local geometric features such as corners, spikes, and smooth connecting points (e.g. between a straight and curved section of the curve), as well as parallel and perpendicular lines. At a more global level, qualitative relation distortions include change in topology (e.g. creating self intersections) and the loss of symmetries. Unfortunately, while these are all important issues affecting the performance of polygonal approximation algorithms it is not obvious how to quantify and combine their effects.

2 Sarkar's FOM

Most practical interest in assessing polygonisation algorithms has been restricted to quantifying the physical distortions introduced by the approximation process. The two most common measures that are sometimes provided are the compression ratio $CR = \frac{N}{M}$ and the integral square error (ISE) between the curve \mathcal{C} and the approximating polygon. However, there is a tradeoff between these two measures since a high compression ratio leads to an excessive distortion of the polygon (i.e. a high ISE); alternatively, maintaining a low ISE can lead to a low compression ratio. This means that comparing algorithms based on one or the other measure alone is of no value as it does not solve the problem of comparing two or more polygonal approximations with different numbers of lines. To capture this tradeoff Sarkar [26] combined the two measures as a ratio, producing a normalised figure of merit $FOM = \frac{CR}{ISE} = \frac{N}{M \times ISE}$. Similar approaches were used by Held *et al.* [9] and Rosin and West [24].

Unfortunately, Sarkar's FOM is also unsuitable as a measure since it requires the $M \times ISE$ term to be constant. Otherwise, approximations with different num-

bers of lines cannot be compared in a meaningful way. It can be demonstrated that $M \times \text{ISE}$ is not constant by analysing the simple example of a circle. The optimal polygonal approximation for most error criteria (including ISE) is a regular polygon inscribed in the circle. For a regular M sided polygon inscribed in a circle of radius r the ISE (i.e. the E_2 norm) can be calculated as

$$E_2 = Mr^3 \left(\frac{3}{2} \sin \frac{\pi}{M} + \frac{1}{6} \sin \frac{3\pi}{M} - \frac{2\pi}{M} \cos \frac{\pi}{M} \right).$$

Plotting out the theoretical optimal FOM for a circle (figure 1) it can be seen that the measure is biased to favour approximations with large numbers of lines.




Figure 1: Theoretical FOM of optimal polygonal approx. for a circle ($r = 10$)

There are of course many other criteria available in place of ISE, and we can carry out the same analysis on them to see if any of them would fare better for inclusion in the FOM. For instance, in addition to E_2 , E_1 and E_∞ are popular norms. The E_1 error corresponds to the area between the polygon and circle

$$E_1(M) = \pi r^2 - \frac{Mr^2}{2} \sin \frac{2\pi}{M} = r^2 \left(\pi - \frac{M}{2} \sin \frac{2\pi}{M} \right).$$

The E_∞ error uses the maximum deviation between the polygon and circle, given by

$$E_\infty(M) = r \left(1 - \cos \frac{\pi}{M} \right) = 2r \sin^2 \frac{\pi}{2M}.$$

Lowe [13] suggested that long approximating lines should be permitted greater deviations than short lines, and so he normalised the deviations by dividing them by the length of the approximating line. For a circle this gives

$$E_{\infty/L}(M) = \frac{r \left(1 - \cos \frac{\pi}{M} \right)}{2r \sin \frac{\pi}{M}} = \frac{1}{2} \tan \frac{\pi}{2M}.$$

A rather different measure, which was maximised by Sato [27], is the length of the polygon

$$L = 2Mr \sin \frac{\pi}{M}.$$

However, it can be seen that none of the above criteria provide a FOM that is constant for varying values of M . Of course, using the circle model the FOM

could be corrected to provide invariance in M . For instance, using $E_{\infty/L}$ the corrected FOM would be


$$FOM = \frac{\tan \frac{\pi}{2M}}{E_{\infty/L}}.$$

Alternatively, if the summed absolute difference in orientation (SADO) between the sides of the polygon and the corresponding sections of the curve is used, then for a circle the error is

$$E_{\theta}(M) = \frac{2\pi^2 r}{M}$$

which *would* be suitable for the FOM since it is a linear function of M , and so $\frac{CR}{E_{\theta}}$ is constant over all M . However, for more general curves there is another problem relating to the effect that natural scales have on the error of the polygonal approximation.

The natural scales of a curve are those scales at which the curve displays some qualitative shape which is distinctive compared to other scales [23]. Previously we detected these scales by performing Gaussian smoothing. For instance, consider a circle superimposed with a sine wave as shown in figure 2a. Smoothing the curve over a large range of scales will have little effect except for distorting the bumps, and so all these smoothed versions of the curve are qualitatively similar. Eventually increasing the smoothing will eliminate the bumps, resulting in a simple circle. Thus the curve has two natural scales: the bumpy circle, and the simple circle. The errors of an approximation polygon will vary considerably according to which natural scale the approximation is taking place at. For instance, for the sinusoidal circle, when minimising ISE, the first series of polygons (3 → 7 lines) are regular polygons which are just approximating the circular component. The next set of polygons (8 → 28 lines) coarsely approximate the bumps by triangles. Finally, increasing the number of sides improves the approximation to the sinusoidal shape of the bumps. This is experimentally verified by finding the optimal polygons with respect to some of the above criteria. For instance, looking at the plots of ISE and SADO against number of sides in figures 2b and 2c the three qualitatively distinct sets of polygons over the above ranges are evident as three sections of the curve with different slopes.



(a) Circle plus sine wave (b) ISE of opt. polygon (c) SADO of optimal polygon

Figure 2: Effects of natural scales on approximation error




Figure 3: Effects of natural scales on the shape of the approximations

Some of the polygons obtained when minimising ISE are plotted in figure 3. The regular polygons at $M = 3$ and 7 are shown. After $M = 7$ the additional sides introduce bumps which are added one at a time (e.g. $M = 9$ and 19) until all the bumps are represented ($M = 28$). The rate of reduction of error reduces thereafter. Even with $M = 70$ sides the increased definition of the sinusoidal undulations is relatively minor.

3 Relative Measures

The qualitatively different structures of a curve's shape at different scales means that it would be extremely difficult to find an effective figure of merit that can be fairly applied to compare approximations with different numbers of points that is only a function of an absolute error measure taken at a single scale (i.e. a fixed value of M). Another approach, taken by Ventura and Chen [30], was to assess their algorithms with respect to the reference segmentation of an optimal algorithm. They used the percentage relative difference, calculated as

$$PRD = \frac{E_{approx} - E_{opt}}{E_{opt}} \times 100$$

where E_{approx} is the error incurred by the suboptimal algorithm to be tested, and E_{opt} is the error incurred by the optimal algorithm; both algorithms are set to produce the same number of lines. This approach has the significant advantage that it enables approximations with any number of lines to be compared. We advocate a similar method, but will first split the assessment into two components: fidelity and efficiency. Fidelity measures how well the suboptimal polygon fits the curve relative to the optimal polygon in terms of the approximation error. Efficiency measures how compact the suboptimal polygonal representation of the curve is, relative to the optimal polygon which incurs the same error. They are defined as

$$\text{Fidelity} = \frac{E_{opt}}{E_{approx}} \times 100$$

$$\text{Efficiency} = \frac{M_{opt}}{M_{approx}} \times 100$$

where M_{approx} is the number of lines in the approximating polygon produced by the suboptimal algorithm and M_{opt} is the number of lines that the optimal algorithm would require to produce the same error as the suboptimal algorithm (i.e. E_{approx}). Since an exact value of M_{opt} is not generally available it is calculated

by linear interpolation of the two closest integer values of M produced by the optimal algorithm.

Depending on the shape of the curve, the two measures may vary considerably. A combined measure is taken as their geometric mean

$$\text{Merit} = \sqrt{\text{Fidelity} \times \text{Efficiency}} = \sqrt{\frac{E_{opt}M_{opt}}{E_{approx}M_{approx}}} \times 100.$$

One problem remains – how should the error be quantified? In section 2 we listed various possible measures: E_1 , E_2 , E_∞ , $E_{\infty/L}$, L , and E_θ , any one of which may be suitable. However, they were all based on the approximating polygon. Since dominant point detection algorithms do not explicitly assume a connecting polygon then some other type of error measure may be more appropriate. For instance, the approximation criteria of local symmetry [15] or stability of curvature maxima over scale [18] used to detect dominant points may be applicable. One approach to tackle the suitability of different measures is to apply goal-directed evaluation [29]. Given that the curves are being approximated for some specific task (e.g. construction of higher level features or model matching) the appropriateness of various error measures could be evaluated with respect to the benefits they provide the task.

4 An Example: Teh and Chin's Curve

To demonstrate the new measures we will apply them to the results of various algorithms which have been applied to the curve presented in figure 6 of Teh and Chin [28]. Teh and Chin tabulated the ISE of many algorithms when applied to this curve, and the results of applying other algorithms have been subsequently provided in the literature (either visually or with their ISE). Therefore we shall analyse the algorithms with reference to the optimal polygonal representation using the E_2 criterion. The optimal solutions were found using dynamic programming (e.g. Perez and Vidal [16]) run for all values of $M = [3, 50]$. In table 4 are shown the results of the algorithms with the parameters as specified by Teh and Chin or the original authors as applicable. Melen and Ozanian's [14] algorithm was run with $s = 4$ and $t = 10$. Since Lowe's algorithm makes no provision for closed curves the starting point was selected by hand. The modified version of Lowe's algorithm by Rosin and West [24] which includes a merging stage was also applied, but the results for this example were identical to Lowe's. Figure 4 plots the curve of the optimal ISE error for all the values of M as well as the results of the various suboptimal algorithms.

We can see that for this example Lowe's algorithm performs extremely well – close to the optimum, achieving a merit rating of 97.1, substantially outperforming all the other algorithms. For instance, Melen and Ozanian's algorithm incurred five times the ISE using the same number of lines, thereby receiving a merit rating of only 28.8, ranking 17th. More valuable is the ability to compare the results of very different polygonal approximations with different numbers of lines. For instance, although Rosenfeld and Weszka (a), Teh and Chin, and Rosenfeld and Johnston (b) respectively generated 14, 22, and 30 points with associated ISEs of

METHOD	#Pts	ISE	Fid.	Effic.	Merit	Rank
Rosenfeld & Johnston [21] (a)	12	92.37	28.1	58.7	40.6	15
Rosenfeld & Johnston (b)	30	8.85	29.8	67.2	44.7	12
Rosenfeld & Weszka [22] (a)	14	59.12	29.4	65.3	43.8	13
Rosenfeld & Weszka (b)	34	15.40	12.5	43.1	23.2	20
Freeman & Davis [7] (a)	17	79.53	15.4	45.7	26.5	19
Freeman & Davis (b)	19	23.31	43.1	65.8	53.3	9
Sankar & Sharma [25]	10	769.53	5.1	41.5	14.5	20
Anderson & Bezdek [1] (a)	18	36.14	31.0	57.9	42.4	14
Anderson & Bezdek (b)	29	6.43	46.7	78.2	60.4	6
Teh & Chin [28]	22	20.61	34.0	59.2	44.9	11
Ansari & Huang [2]	28	17.83	18.8	49.5	30.5	17
Melen & Ozanian [14]	13	122.44	16.9	49.1	28.8	18
Sarkar [26] 1 point method	19	17.38	57.8	73.7	65.3	4
Sarkar 2 point method	20	13.65	66.0	78.9	72.2	3
Lowe [13]	13	21.66	95.7	98.6	97.1	1
Ray & Ray [20] (1)	29	11.82	25.4	60.0	39.0	16
Ray & Ray [19] (2)	27	11.5	32.2	65.6	46.0	10
Arcelli & Ramella [4]	10	75.10	51.8	80.3	64.5	5
Held, Abe & Arcelli [9]	17	28.50	42.9	68.3	54.1	8
Rattarangsi & Chin [18]	9	130.13	48.1	69.1	57.7	7
Ramer [17]	26	5.27	76.9	92.6	84.4	2

Table 1: Assessment of various algorithms applied to Teh and Chin’s curve

59.12, 20.61, and 8.85, it is now possible to see that they are all roughly on par since they have the similar ratings of 43.8, 44.9, and 44.7.

Of course, to properly assess the general effectiveness of the algorithms they would need to be tested on many more curves. Moreover, since most of the algorithms have some sort of scale parameter, these algorithms should be tested over the full range of scales. For instance, figure 5 shows the ISE curves plotted for the algorithms of Melen and Ozanian ($s = 2$ and varying t), Ramer, and Rosenfeld and Johnston. Unlike the optimal algorithm they do not display ISE that monotonically decreases with increasing numbers of points. Where Rosenfeld and Johnston’s algorithm produced several different ISE values for the same number of points the lower value was plotted. This highlights the problem that assessing an algorithm at a single scale may not accurately reflect its performance at different values of its scale parameter. This can be solved by averaging the merit values over all scales, giving 26.1 for Melen and Ozanian, 71.8 for Ramer, and 44.5 for Rosenfeld and Johnston. Another problem is that the relationship between an algorithm’s parameter may not predictably reflect the scale of analysis. This is demonstrated by plotting the number of points detected by Rosenfeld and Johnston’s algorithm against the smoothing parameter m in figure 6 – several fluctuations are evident.




Figure 4: ISE of optimal and other algorithms

5 Conclusions

This paper tackles the need for a technique that is able to assess different algorithms for finding polygonal approximations to curves. The standard approaches which use ISE, CR, or their combination as $\frac{CR}{ISE}$ are shown to be unsuitable if the approximations contain varying numbers of lines. Moreover, it was shown that if a curve contains several natural scales (which is the case for all non-trivial curves) then no measure that does not take the shape of the curve into account is likely to be suitable. In their place it is suggested that to ensure invariance to the numbers of lines an algorithm's results should be assessed relative to some "gold standard" which must be available for each possible number of lines. The proposed assessment combines the fidelity and efficiency of an algorithm's results, i.e. how well the suboptimal polygon fits the curve, and the compactness of the suboptimal polygonal representation of the curve.

Of course, this leaves the problem of what to choose as the gold standard. Our solution is to use the optimal polygon for the given number of lines according to some criterion. An example was given using the E_2 measure to test fifteen algorithms applied to Teh and Chin's curve. More generally, the appropriate criterion can be selected according to the task that the lines are intended for. The goal-directed approach could be applied to rate the polygonisation algorithms based on their performance on the task. However, it is often probably more useful to have a task-independent assessment of the algorithms so that they do not have to be re-evaluated for every individual task.

A weakness of the assessment criteria used in this paper is that they do not




Figure 5: ISE curves of optimal and other algorithms applied to Teh and Chin's curve




Figure 6: Effect of smoothing parameter on the number of points detected by Rosenfeld and Johnston's algorithm

directly evaluate the various distortions described by Aoyama and Kawagoe [3], particularly since the specific aim of some algorithms [3, 8] is represent significant points (e.g. spikes) extremely accurately, potentially at the cost of increasing other errors. Also not considered in this paper is the assessment of an algorithm's robustness under systematic distortions of the data, e.g. blurring, ranges and different types of noise, rotations, scaling (including subsampling), and occlusion (i.e. deletion of the ends of open curves). The latter task should prove straightforward, but the former problem of determining and then measuring such structural deviations is more difficult, and is an open area for investigation.

References

- [1] I.M. Anderson and J.C. Bezdek. Curvature and tangential deflection of discrete arcs. *IEEE PAMI*, 6:27-40, 1984.
- [2] N. Ansari and K.W. Huang. Non-parametric dominant point detection. *PR*, 24:849-862, 1991.
- [3] H. Aoyama and M. Kawagoe. A piecewise linear approximation method preserving visual feature points of original figures. *CVGIP: GMIP*, 53:435-446, 1991.
- [4] C. Arcelli and G. Ramella. Finding contour-based abstractions of planar patterns. *PR*, 26:1563-1577, 1993.
- [5] J.G. Dunham. Optimum uniform piecewise linear approximation of planar curves. *IEEE PAMI*, 8:67-75, 1986.
- [6] M.A. Fischler and H.C. Wolf. Locating perceptually salient points on planar curves. *IEEE PAMI*, 16:113-129, 1994.
- [7] H. Freeman and L.S. Davis. A corner-finding algorithm for chain-coded curves. *IEEE Comp.*, 26:297-303, 1977.
- [8] F. Gritzali and G. Papakonstantinou. A fast peicewise linear approximation algorithm. *SP*, 5:221-227, 1983.
- [9] A. Held, K. Abe, and C. Arcelli. Towards a hierarchical contour description via dominant point detection. *IEEE SMC*, 24:942-949, 1994.

British Machine Vision Conference

- [10] T. Kadonaga and K. Abe. Comparison of methods for detecting corner points from digital curves. In *Int. Workshop on Graphics Recognition*, 1995.
- [11] T. Kanungo, M.Y. Jaisimha, J. Palmer, and R.M. Haralick. A methodology for quantitative performance evaluation of detection algorithms. *IEEE IP*, 4:1667–1673, 1995.
- [12] J. Koplowitz and S. Plante. Corner detection for chain coded curves. *PR*, 28:843–852, 1995.
- [13] D.G. Lowe. Three-dimensional object recognition from single two-dimensional images. *AI*, 31:355–395, 1987.
- [14] T. Melen and T. Ozanian. A fast algorithm for dominant point detection on chain-coded contours. In *CAIP*, 1993.
- [15] H. Ogawa. Corner detection on digital curves based on local symmetry of the shape. *PR*, 22:351–357, 1989.
- [16] J.C. Perez and E. Vidal. Optimum polygonal approximation of digitized curves. *PRL*, 15:743–750, 1994.
- [17] U. Ramer. An iterative procedure for the polygonal approximation of plane curves. *CGIP*, 1:244–256, 1972.
- [18] A. Rattarangsi and R.T. Chin. Scale-based detection of corners of planar curves. *IEEE PAMI*, 14:430–449, 1992.
- [19] B.K. Ray and K.S. Ray. An algorithm for detection of dominant points and polygonal approximation of digitized curves. *PRL*, 12:849–856, 1992.
- [20] B.K. Ray and K.S. Ray. Detection of significant points and polygonal approximation of digitized curves. *PRL*, 12:443–452, 1992.
- [21] A. Rosenfeld and E. Johnston. Angle detection on digital curves. *IEEE Comp.*, 22:875–878, 1973.
- [22] A. Rosenfeld and J.S. Weszka. An improved method of angle detection on digital curves. *IEEE Comp.*, 24:940–941, 1975.
- [23] P.L. Rosin. Representing curves at their natural scales. *PR*, 25:1315–1325, 1992.
- [24] P.L. Rosin and G.A.W. West. Non-parametric segmentation of curves into various representations. *IEEE PAMI*, 17:1140–1153, 1995.
- [25] P.V. Sankar and C.V. Sharma. A parallel procedure for the detection of dominant points on a digital curve. *CGIP*, 7:403–412, 1978.
- [26] D. Sarkar. A simple algorithm for detection of significant vertices for polygonal approximation of chain-coded curves. *PRL*, 14:959–964, 1993.
- [27] Y. Sato. Piecewise linear approximation of plane curves by perimeter optimization. *PR*, 25:1535–1543, 1992.
- [28] C.H. Teh and R.T. Chin. On the detection of dominant points in digital curves. *IEEE PAMI*, 11:859–872, 1989.
- [29] Ø.D. Trier and A.K. Jain. Goal-directed evaluation of binarization methods. *IEEE PAMI*, 17:1191–1201, 1995.
- [30] J.A. Ventura and J.M. Chen. Segmentation of two-dimensional curve contours. *PR*, 25:1129–1140, 1992.
- [31] X. Zhang, R.M. Haralick, and V. Ramesh. Corner detection using the MAP technique. In *ICPR*, pages 549–551, 1994.